


# Weldolet

90/10 Copper Nickel UNS C7060X

**EEMUA 234:2015 Chapter 12**  
**(Formerly EEMUA 146/6)**



Nominal Size (Inch)	Actual Size $\text{ØA}_1$ (mm)	$\text{ØA}_2$ (mm)	W (16 Bar) (mm)	W (20 Bar) (mm)	H (mm)	Weight (Kg)
1/2	<b>16</b>	16 to 44.5	2	2	19.05	0.07
1/2	<b>16</b>	57 to 610	2	2	17.5	0.07
3/4	<b>25</b>	25 to 44.5	2	2	22.2	0.11
3/4	<b>25</b>	57 to 610	2	2	20.6	0.11
1	<b>30</b>	30 to 44.5	2.5	2.5	27	0.18
1	<b>30</b>	57 to 610	2.5	2.5	22.2	0.18
1.1/4	<b>38</b>	38 to 44.5	2.5	2.5	30.2	0.32
1.1/4	<b>38</b>	57 to 610	2.5	2.5	25.4	0.32
1.1/2	<b>44.5</b>	44.5	2.5	2.5	33.3	0.36
1.1/2	<b>44.5</b>	57 to 610	2.5	2.5	28.6	0.36
2	<b>57</b>	57 to 76.1	2.5	2.5	38.1	0.68
2	<b>57</b>	88.9 to 610	2.5	2.5	33.3	0.68
2.1/2	<b>76.1</b>	76.1 to 108	2.5	2.5	47.6	1.4
2.1/2	<b>76.1</b>	159 to 610	2.5	2.5	44.5	1.4
3	<b>88.9</b>	88.9 to 108	2.5	2.5	47.6	1.7
3	<b>88.9</b>	159 to 610	2.5	2.5	44.5	1.7
4	<b>108</b>	108	3	3	46.8	3
4	<b>108</b>	159	3	3	52.4	3
4	<b>108</b>	219.1 to 610	3	3	49.2	6.4
6	<b>159</b>	159 to 610	3	3.5	60.3	8.9
8	<b>219.1</b>	219.1 to 610	4	4.5	69.9	12.7
10	<b>267</b>	267 to 610	4.5	5.5	77.8	17.7
12	<b>323.9</b>	323.9 to 610	5.5	7	85.7	29.5
14	<b>368</b>	368 to 610	6.5	8	88.90	31.8
16	<b>419</b>	419 to 610	7	9	93.7	41.7
18	<b>457.2</b>	457.2 to 610	8	9.5	96.8	53.2
20	<b>508</b>	508 to 610	8.5	11	115.9	68.3
24	<b>610</b>	610	9.5	13	115.9	91.2