

GOST 17376 Tee Dimension and Weight

Material:CT20,09G2S

Stainless steel:304, 304L, 316, 316L, 321, 347,

08 18 10,10 18 10 ,12 18 10 ,20 23 13,10 17 13 2 , e




Рисунок 1

ГОСТ 17376—2001

Таблица 1 — Тройники исполнения 1

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	Масса, кг										
15	21,3	2,0	21,3	2,0	25	25	0,19										
		3,2		3,2			0,30										
		4,0		4,0			0,38										
20	26,9	2,0	26,9	2,0	29	29	0,26										
		3,2		3,2			0,42										
		4,0		4,0			0,52										
		2,0	21,3	2,0			38	38	0,23								
		3,2		3,2					0,37								
		4,0		4,0					0,46								
25	33,7	2,3	26,9	2,0	38	38	0,25										
		3,2		3,2			0,35										
		4,5		4,0			0,40										
		2,3	33,7	2,3			48	48	0,40								
		3,2		3,2					0,64								
		4,5		4,5					0,80								
		32	42,4	2,6					26,9	2,0	57	57	1,00				
				3,6						3,2			1,40				
				5,0						4,0			2,00				
2,6	21,3			2,0	57	57			1,00								
3,6				3,2					1,40								
5,0				4,0					2,00								
40	48,3			2,6			21,3	2,3	57	57			1,00				
				3,6				3,2					1,40				
				5,0				4,5					2,00				
				2,6			26,9	2,6					57	57	1,00		
				3,6				3,6							1,40		
				5,0				5,0							2,00		
		40	48,3	2,6			26,9	2,6			57	57			1,00		
				3,6				3,6							1,40		
				5,0				5,0							2,00		
				2,6	33,7	2,6	57	57							1,00		
				3,6		3,6									1,40		
				5,0		5,0									2,00		
40	48,3			2,6	33,7	2,6			57	57					1,00		
				3,6		3,6									1,40		
				5,0		5,0									2,00		
				40	48,3	2,6							33,7	2,6	57	57	1,00
						3,6								3,6			1,40
						5,0								5,0			2,00

GOST 17376 Tee Dimension and Weight




Рисунок 1

Продолжение таблицы 1

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	Масса, кг
50	60,3	2,9	33,7	2,9	64	51	1,60
		4,0		4,0			2,20
		5,6		5,6			3,00
		2,9		42,4			2,6
		4,0	3,6			2,20	
		5,6	5,0			3,00	
		2,9	48,3			2,6	60
		4,0		3,6		2,20	
5,6	5,0	3,00					
2,9	60,3	2,3		64	1,60		
4,0		3,2	2,20				
5,6		4,5	3,00				
65		76,1	2,9		42,4	2,6	76
	5,0		3,6	5,50			
	7,1		5,0	7,90			
	2,9		48,3	2,9		67	
	5,0			4,0	5,50		
	7,1			5,6	7,90		
	2,9			60,3	2,6		
	5,0		3,6		5,50		
7,1	5,0	7,90					
2,9	76,1	2,9	76		3,20		
5,0		5,0		5,50			
7,1		7,1		7,90			
80		88,9		3,2	48,3	2,9	86
	5,6		4,0	4,00			
	8,0		5,6	5,50			
	3,2		60,3	2,9		76	
	5,6			4,0	4,00		
	8,0			5,6	5,50		
	3,2			76,1	2,9		
	5,6		5,0		4,50		
8,0	7,1	6,20					
3,2	88,9	3,2	86		2,50		
5,6		5,6		4,50			
8,0		8,0		6,20			
100		114,3		3,6	60,3	2,7	105
	6,3		4,0	6,70			
	8,8		5,6	10,00			
	3,6		76,1	2,9		95	
6,3	5,0	7,80					
8,8	7,1	10,0					

GOST 17376 Tee Dimension and Weight




Рисунок 1

Продолжение таблицы 1

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	Масса, кг
100	114,3	3,6	88,9	3,2	105	98	4,50
		6,3		5,6			7,80
		8,8		8,0			10,00
		3,6	114,3	3,6		105	4,50
		6,3		6,3			7,80
		8,8		8,8			10,00
125	139,7	4,0	76,1	2,9	124	108	3,40
		6,3		5,0			5,30
		10,0		7,1			16,00
		4,0	88,9	3,2		111	3,40
		6,3		5,6			5,30
		10,0		8,0			16,00
		4,0	114,3	3,6		117	3,40
		6,3		6,3			5,30
		10,0		8,8			16,00
		4,0	139,7	4,0		124	3,40
		6,3		6,3			5,30
		10,0		10,0			16,00
150	168,3	4,5	88,9	3,2	143	124	9,40
		7,1		5,6			16,00
		11,0		8,0			24,00
		4,5	114,3	3,6		130	9,40
		7,1		6,3			16,00
		11,0		8,8			24,00
		4,5	139,7	4,0		137	9,40
		7,1		6,3			16,00
		11,0		10,0			24,00
		4,5	168,3	4,5		143	9,40
		7,1		7,1			16,00
		11,0		11,0			24,00
200	219,1	6,3	114,3	3,6	178	156	16,00
		8,0		6,3			20,00
		12,5		8,8			43,00
		6,3	139,7	4,0		162	16,00
		8,0		6,3			20,00
		12,5		10,0			43,00
		6,3	168,3	4,5		168	16,00
		8,0		7,1			20,00
		12,5		11,0			43,00
		6,3	219,1	6,3		178	23,00
		8,0		8,0			29,00
		12,5		12,5			44,00

GOST 17376 Tee Dimension and Weight




Рисунок 1

Продолжение таблицы 1

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	Масса, кг
250	273,0	6,3	139,7	4,0	216	191	33,0 52,0
		10,0	168,3	6,3		194	33,0 52,0
		6,3	219,1	4,5 7,1		203	33,0 52,0
		10,0	273,0	6,3 7,1		216	33,0 52,0
300	323,9	7,1	168,3	4,5 7,1	254	219	47,00 66,00
		10,0	219,0	6,3 8,0		229	47,00 66,00
		7,1	273,0	6,3 8,0		241	47,00 66,00
		10,0	323,9	7,1 10,0		254	54,00 77,00
350	355,6	8,0	219,1	6,3 8,0	279	248	—
		11,0	273,0	6,3 10,0		257	
		8,0	323,9	7,1 10,0		270	
		11,0	355,6	8,0 11,0		279	68,00 94,00
400	406,4	8,8	273,0	6,3 10,0	305	283	—
		12,5	323,9	7,1 10,0		295	
		8,8	355,6	8,0 10,0		305	—
		12,5	406,4	8,8 12,5			
450	457,0	10,0	323,9	7,1	343	321	—
			355,6	8,0			
			355,6	11,0			
			406,4	8,8			
			457,0	10,0			

GOST 17376 Tee Dimension and Weight




Рисунок 1

ГОСТ 17376—2001

Окончание таблицы 1

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	Масса, кг
500	508,0	11,0	355,6	8,0	381	356	
			406,4	8,8			
			457,0	10,0			
			508,0	11,0			
600	610,0	12,5	406,4	8,8	432	406	—
			457,0	10,0			
			508,0	11,0			
			610,0	12,5			
700	711,0	—	711,0	—	521	521	
800	813,0		813,0		597	597	
900	914,0		914,0		673	673	
1000	1016,0		1016,0		749	749	

Примечание — Масса приведена для справок.

Таблица 2 — Тройники исполнения 2

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	r, не менее	Масса, кг
15	20	2,0	—	—	25	15		0,2
		3,0						0,2
		4,0						0,3
20	25	2,0	20	2,0	29	20	3	0,3
		3,0						0,3
		4,0						0,4
		2,0	—	—				0,3
		3,0						0,3
		4,0						0,4
25	32	2,0	20	2,0	38	25	3	0,3
		3,0						0,4
		4,0						0,4
		2,0	25	2,0				0,3
		3,0						0,4
		4,0						0,4
32	38	2,0	20	2,0	32	32	4	0,3
		3,0						0,4
		4,0						0,4
		2,0	25	2,0				0,3
		3,0						0,4
		4,0						0,4

GOST 17376 Tee Dimension and Weight




Рисунок 1

ГОСТ 17376—2001

Продолжение таблицы 2

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	r, не менее	Масса, кг
32	38	2,0	32	2,0	32	32	4	0,3
		3,0		3,0				0,4
		4,0		4,0				0,4
40	45	2,0	—	—	40	40	—	0,3
		3,0						0,4
		4,0						0,4
50	57	3,0	45	2,5	50	45	—	0,4
		4,0		3,0				0,6
		5,0		4,0				0,7
65	76	3,0	—	—	65	60	5	0,4
		4,0						0,6
		5,0						0,7
65	76	3,5	45	2,5	65	60	—	0,8
		6,0		4,0				1,4
		7,0		5,0				1,6
65	76	3,5	57	3,0	65	60	5	0,8
		6,0		5,0				1,4
		7,0		5,5				1,6
65	76	3,5	—	—	65	60	5	0,8
		6,0						1,4
		7,0						1,6
80	89	3,5	57	3,0	80	70	—	1,5
		6,0		4,0				2,0
		8,0		5,5				2,7
80	89	3,5	76	3,5	80	70	—	1,5
		6,0		6,0				2,0
		8,0		7,0				2,7
80	89	3,5	—	—	80	70	—	1,5
		6,0						2,0
		8,0						2,7
100	108	4,0	76	3,5	100	80	—	2,2
		6,0		5,0				3,3
		8,0		6,0				4,5
100	108	4,0	89	4,0	100	80	—	2,2
		6,0		6,0				3,3
		8,0		8,0				4,5
100	108	4,0	—	—	100	80	—	2,2
		6,0						3,3
		9,0						4,5

GOST 17376 Tee Dimension and Weight




Рисунок 1

ГОСТ 17376—2001

Продолжение таблицы 2

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	r, не менее	Масса, кг										
100	114	4,0	76	3,5	100	90	5	3,0										
		5,0		5,0				3,7										
		6,0		6,0				4,4										
		9,0		7,0				6,5										
		4,0	89	4,0				100	90	5	3,0							
		5,0		5,0							3,7							
		6,0		6,0							4,4							
		9,0		8,0							6,5							
		4,0	—	4,0							100	90	5	3,0				
5,0	5,0	3,7																
6,0	6,0	4,4																
9,0	9,0	6,5																
125	133	4,0	89	3,5	110	95	6							2,9				
		6,0		5,0				4,1										
		8,0		6,0				5,9										
		10,0		8,0				6,8										
		12,0	9,0	8,0				6	2,9									
		4,0	108	4,0					110	95	6	4,1						
		6,0		5,0								5,9						
		8,0		6,0								6,8						
		10,0		9,0				8,0										
		12,0	10,0	8,0				—				2,9						
		4,0	—	—								110	95	6	4,1			
		6,0		—											5,9			
8,0	—	6,8																
10,0	—	8,0																
12,0	—	—	110	95	6	8,0												
150	159	4,5				108	4,0	130							110	8	4,8	
		6,0					5,0										6,6	
		8,0					6,0		9,0									
		10,0					9,0		10,1									
		12,0				10,0	12,2		8	4,8								
		4,5				133	4,0			130	110						8	6,6
		6,0					5,0											9,0
		8,0					6,0					10,1						
		10,0					10,0		12,2									
		12,0				12,0	12,2		—			4,8						
		4,5				—	—					130	110	8				6,6
		6,0	—	9,0														
8,0	—	10,1																
10,0	—	12,2																
12,0	—	—	130	110	8	12,2												
200	219	6,0				133	5,0	160	140						10	10,2		
		8,0					6,0									13,8		
		10,0					8,0			16,8								
		12,0					10,0			19,9								
		16,0					16,0			26,6								
		16,0					16,0			16,0	16,0					26,6		

GOST 17376 Tee Dimension and Weight

ГОСТ 17376—2001

Продолжение таблицы 2

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	r, не менее	Масса, кг
200	219	6,0 8,0 10,0 12,0 16,0	159	6,0 6,0 8,0 11,0 12,0	160	140	10	10,2 13,8 16,8 19,9 26,6
		6,0 8,0 10,0 12,0 16,0						—
250	273	7,0 10,0 12,0 16,0 18,0	159	4,5 6,0 8,0 11,0 12,0	190	175	12	18,4 26,0 31,2 41,6 46,8
		7,0 10,0 12,0 16,0 18,0		6,0 8,0 10,0 12,0 16,0				18,4 26,0 31,2 41,6 46,8
		7,0 10,0 12,0 16,0 18,0	—	—				18,4 26,0 31,2 41,6 46,8
300	325	8,0 10,0 12,0 16,0 22,0	219	6,0 8,0 10,0 12,0 16,0	220	200	15	27,4 34,2 41,1 54,8 75,3
		8,0 10,0 12,0 16,0 22,0		7,0 10,0 12,0 16,0 18,0				27,4 34,2 41,1 54,8 75,3
		8,0 10,0 12,0 16,0 22,0	—	—				27,4 34,2 41,1 54,8 75,3
350	377	10,0 12,0 16,0 20,0	273	7,0 10,0 12,0 16,0	240	225	15	46,0 55,2 73,6 92,0
		10,0 12,0 16,0 20,0		8,0 10,0 16,0 18,0				46,0 55,2 73,6 92,0

9

Окончание таблицы 2

Размеры в миллиметрах

DN	D	T	D ₁	T ₁	F	H	r, не менее	Масса, кг
350	377	10,0 12,0 16,0 20,0	—	—	240	225	15	46,0 55,2 73,6 92,0
		10,0 12,0 16,0 18,0						325
400	426	10,0 12,0 16,0 18,0	377	10,0 12,0 16,0 18,0	270	250	18	55,5 66,6 88,8 100,0
		10,0 12,0 16,0 18,0		—				—
		10,0 12,0 16,0 18,0	—	—				55,5 66,6 88,8 100,0

Примечания
 1 Масса приведена для справок.
 2 Масса соответствует тройникам, изготавливаемым из труб с размерами D и T гидропамповкой. При изготовлении другими способами и (или) из других заготовок массу устанавливает изготовитель.